

Los Angeles, CA

An employee reported to us that they tested positive for COVID-19 on 01/08/21. The employee last worked prior to the test on 01/02/20.

Based on CDC guidance, since this employee had not been at the facility for 3 days or more it is not necessary to close to disinfect.

An employee reported to us that they tested positive for COVID-19 on 1/6/2021. The employee last worked prior to the test on 1/4/2021.

We closed the facility on 1/6/2021 at 12:30 PM to clean and disinfect as per CDC guidelines.

We re-opened on 01/07/21 at 2:00 PM after thoroughly cleaning and disinfecting the facility as per CDC guidelines.

An employee reported to us that they tested positive for COVID-19 on 01/05/21. The employee last worked prior to the test on 12/30/20.

Based on CDC guidance, since this employee had not been at the facility for 3 days or more it is not necessary to close to disinfect.

An employee reported to us that they tested positive for COVID-19 on 01/02/21. The employee last worked prior to the test on 12/30/20.

We closed the facility on 01/02/21 at 9:30 AM to clean and disinfect as per CDC guidelines.

We re-opened on 01/03/21 at 2:00 PM after thoroughly cleaning and disinfecting the facility as per CDC guidelines.

An employee reported to us that they tested positive for COVID-19 on 01/01/21. The employee last worked prior to the test on 12/24/20.

Based on CDC guidance, since this employee had not been at the facility for 3 days or more it is not necessary to close to disinfect.

An employee reported to us that they tested positive for COVID-19 on 12/31/20. The employee last worked prior to the test on 12/26/20.

Based on CDC guidance, since this employee had not been at the facility for 3 days or more it is not necessary to close to disinfect.

An employee reported to us that they tested positive for COVID-19 on 12/28/20. The employee last worked prior to the test on 12/27/20.

We closed the facility on 12/28/20 at 2:30 PM to clean and disinfect as per CDC guidelines.

We re-opened on 12/29/20 at 2:00 PM after thoroughly cleaning and disinfecting the facility as per CDC guidelines.